

AD-A116 633 ARMY TRAINING DEVELOPMENTS INST FORT MONROE VA  
WORD CRITICALITY ANALYSIS. MOS: 31J. SKILL LEVELS 1 & 2. (U)  
SEP 81 A A LONGO  
UNCLASSIFIED MOS-31J

F/G 5/9

NL

1-1



END  
NO  
A 116

DTIC FILE COPY

AD A116633

HEADQUARTERS

DATA CONTROL NUMBER




FOR NO / PROTECT NO

UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND

FORT MONROE, VIRGINIA 23651

DISTRIBUTION STATEMENT A  
Approved for public release;  
Distribution Unlimited

Copy available to DTIC does not  
permit fully legible reproduction



Word Criticality Analysis

MOS: 31J

Skill Levels 1 & 2

DTIC  
JUL 8 1982  
H

82 07 06 197

PREPARED BY: OPERATIONS DIV, DPFO

ATDP FORM  
Oct 66 109-1

Feb 66 edition may be used  
until exhausted.

COPY \_\_\_\_ OF \_\_\_\_ COPIES

## **DISCLAIMER NOTICE**

**THIS DOCUMENT IS BEST QUALITY  
PRACTICABLE. THE COPY FURNISHED  
TO DTIC CONTAINED A SIGNIFICANT  
NUMBER OF PAGES WHICH DO NOT  
REPRODUCE LEGIBLY.**

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER <b>313</b>	2. GOVT ACCESSION NO. <b>AD-A116633</b>	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) <b>Word Criticality Analysis</b> <b>MOS: 313</b> <b>Skill Level: 1/2</b>		5. TYPE OF REPORT & PERIOD COVERED <b>Final</b>
7. AUTHOR(s)  <b>Dr. Alexander A. Longo</b>		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS <b>Training Developments Institute</b> <b>ATTN: ATTG-DOR</b> <b>Fort Monroe, VA 23651</b>		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS <b>Training Developments Institute</b> <b>ATTN: ATTG-DOR</b> <b>Fort Monroe, VA 23651</b>		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE <b>Sep 1981</b>
		13. NUMBER OF PAGES <b>15</b>
		15. SECURITY CLASS. (of this report) <b>Unclassified</b>
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)  <b>Approved for Public Release; Distribution is unlimited.</b>		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) <b>MOS Vocabulary</b> <b>Readability</b> <b>Comprehension of text</b> <b>Curriculum Development</b>		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) <b>This report contains terms selected as having some degree of criticality in the training/performance of tasks contained in the respective MOS Soldier's Manual (SM). These critical words were selected by subject matter/job experts knowledgeable in their MOS. The vocabulary set used as the basis for critical word analysis was the Word Frequency Report based on the SM for the same MOS.</b>		

## Contents and General Information

1. The Word Criticality Analysis (WCA) reports were reproduced exactly as generated via computer printout. The prime users of this document were fully cognizant of its contents and required no special instructions for interpretation. However, for the sake of other readers, the following brief description of contents is provided.

2. The WCA reports for most MOS are divided as follows:

- o Skill Level I
- o Skill Level II


However, due to the way some Soldier Manuals are constructed, the WCA for some MOS have both Skill Levels merged into one report. Each Skill Level is subdivided into two sections.

a. Introductory - these MOS critical words, identified by the code "TRN", represent terms unmatched on the master tape for that MOS. (Reasons for this include: words volunteered as critical; keypunching errors; updating master tapes per changes in SM, etc). NOTE: The number to the left of each critical word is its criticality index defined below.

b. Main - these MOS critical words are ranked alphabetically within a criticality index (defined below) that also is ranked from 1-5. The numbers to the right of the critical words represent the SM page on which that term appeared and its frequency of appearance. Example "222,4" is interpreted as: "4 times on page 222". NOTE: Due to computer programming/sort difficulties, the accuracy of correct page referencing is only approximately 80% for most reports. Improvements in programming and coding increased this accuracy to 95% in those reports completed last (i.e., dated Jan-Mar 82).

### 3. Word Criticality Index:

The following 5 point rating scale was used by a team of up to 3 subject matter experts from Army MOS proponent schools to rate each word selected as having some importance for training/performing a critical task:



Access <input checked="" type="checkbox"/>	
NTIS <input checked="" type="checkbox"/>	
DTIC <input type="checkbox"/>	
Unannounced Justification <input type="checkbox"/>	
By _____	
Distribution/Availability Codes	
Dist	Avail and/or Special
A	33

**HEADQUARTERS**  
**UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND**  
**FORT MONROE, VIRGINIA 23651**

DATA CONTROL NUMBER             
JOB NO / PROJECT NO



Word Crit- MOS-31J  
Skill Level 1 and 2

KP = (A)  
P = (A) B

COPY \_\_\_\_ OF \_\_\_\_ COPIES

PREPARED BY: OPERATIONS DIV, DPPD

ATDP FORM 109 (Replaces ATDP 110, Jul 75, which is obsolete)

WCA

JAN 28 1981

JAN 28 1981

ORAD

## DATE 81023 1001 PAGE 1

MO5-3LJ  
SKILL LEVEL 1 MO2

[illegible]

DATE 01029 1001 PAGE 2

1	A1	30:1	19:2	6:2												
1	BAIL	30:1														
1	BAK	30:2														
1	BASE	30:2														
1	BELL	27:1	15:2													
1	C-2	30:2														
1	CI-16A/U	11:1														
1	COMPVHOLVER	30:1														
1	CURC	10:1	4:2													
1	DEFECT	40:2	32:1	30:20	25:1	24:1	23:7	22:2	21:4	20:2	14:1	12:1	11:1	9:2		
1	DEFLCTIVE	8:0	6:4	4:3	3:1	2:1	1:3									
1		1:2	19:2	13:2	12:1	11:1	8:3	7:2	4:2	3:1	149:1	132:2	102:4	66:1		
1	DEFECTS	51:1	35:1	30:12	26:1	23:3	21:1	27:1	25:1	23:1	17:1					
1	DEPUT	4:1	3:1	15:2	14:1	9:2	8:6									
1	DIAL	10:1	12:3	7:1	30:10	2:1										
1	DIRECT	9:2	2:1	39:10	30:15	21:1										
1	DISTRIBUTOR-TRANSMITTER	12:2														
1	OLG'S	12:1														
1	DUPLEX	17:1														
1	ENTER	20:3	6:1	1:6												
1	EXACT	30:1	12:1													
1	EXTERNAL	13:1	7:1													
1	FCC-2X	12:1														
1	FCC-25	30:1	39:1													
1	FCC-55	30:1	39:1													
1	FUCK	4:1														
1	FIX	12:1														
1	FUNCTION	30:2														
1	FLSES	8:2	6:1	5:1	4:2											
1	GAGE	30:2														
1	GEARS	30:1														
1	GILLING	10:2	8:1	5:1	4:4	1:1	13:1									
1	GROUND	4:2														
1	GS	30:1	4:1													
1	GUIDE	2:1														
1	HALF-DUPLEX	16:1	41:1													
1	ISULATE	15:1	6:1													
1	ISULATED	6:1														
1	J-2671	8:1	4:1	1:1												
1	J-2671/FCC	29:3	30:4	13:1	12:1	8:5	7:3	2:3								
1	KEYBOARD	30:1	27:2	22:1	10:1	13:1										
1	KEYBOARD-TRANSMITTER	31:1														
1	LAY	12:1														
1	LEAD	4:2	10:1													
1	LINE-BREAK	24:1														
1	LINEUP	14:1	13:2	42:2	17:1											
1	LINE-LEVEL	30:1	3:1	9:1												
1	LOG-1	1:2	9:1													
1	PC-65/C	11:1														

## 3

[illegible]

## MPS WORD LIST BY PAGE

DATE 01023 1001 PAGE

4

1	TI-4	100,1	1,3	6,1	4,2	7,1	39,1	30,2	21,3	9,2
1	TI-4A/TG	9,1	39,1	30,2						
1	TI-4B/TG	9,1	39,1	30,2	21,1					
1	TI-4C/TG	21,1	9,1	30,2	39,1					
1	TI-523	9,1								
1	TI-523/	9,1	39,1	10,1	39,1					
1	TI-523/GGC	6,1	5,1	2,3		9,2	30,2	39,2		
1	TI-523A/GGC	9,1	3,1	39,1	1,1					
1	TI-524/	7,1	39,1	30,1						
1	TI-524/FGC	10,1	11,1	8,5	7,1	5,2	4,1	2,4	1,1	19,1
1	TI-537/TG	21,1	30,1							39,2
1	TI-594	1,1								
1	TI-598/TG	9,1	39,1	30,2						
1	TI-598A/TG	21,1	9,1	30,2	39,1					
1	TI-598B/TG	5,1	30,1	21,1	39,1					
1	TI-699/GGC	4,1	30,2	9,1						
1	TI-699A/	30,1	9,1	4,1						
1	TI-699A/GGC	9,1								
1	TI-699B/	4,1	30,2	9,2						
1	TI-699C/GGC	30,2	9,2	4,1						
1	TI-700/FG	30,1	39,1							
1	TI-700A/FG	39,1	30,1							
1	TI-701/FG	30,2	39,2							
1	TI-712A/FG	22,1								
1	TI-703A/FG	30,1								
1	TI-704/FG	30,2	39,2							
1	TI-704A/FG	19,2	30,2							
1	TI-705/FG	30,2	39,2							
1	TI-705A/FG	30,1	39,1							
1	TI-722/T3	19,1	3,2	9,1						
1	TI-76	1,4	10,1	9,5	30,3	12,1	39,5			
1	TI-76/	30,1								
1	TI-76/GGC	9,1	9,2	6,1	12,2	30,1				
1	TI-76A/GGC	30,1								
1	TI-76B/GGC	30,2	9,2	4,1						
1	TI-76C/GGC	4,1	30,2	9,2						
1	USC-30	30,1								
1	USC-4	19,1								
1	Z-21/W	11,1	30,1							
2	AC	30,1	6,1	4,2						
2	ADEQUATE	1,1								
2	APPLY	7,1	30,1							
2	APPROPRIATE	2,1	24,2	19,2	43,1	39,2				
2	B-CP	12,1								
2	BETWEEN	7,2	22,1	10,1						
2	BIAS	6,1	6,1	13,1	10,3					
2	BLANKS	13,1								
2	BLOCK	1,20	44,1	39,8	30,19	24,2	23,1	19,1	12,2	11,1
2	CARRIAGE	25,1	15,1							
2	CONTACT	2,1								

DATE 81023 1001 PAGE 3

2	CHART	11.2	11.1	10.1	8.1	6.2	32.1	31.1	30.1	21.2	19.2	12.1	
2	CLUTCH	9.1											
2	CODE	39.2											
2	CONNECTION	50.1	41.1	39.1	28.1	12.1							
2	CONNECTIONS	1.1	8.1	7.3	9.1	4.1	30.1	20.1	15.1	13.1	12.1	9.1	
2	CONNECTION	5.5	2.2	6.1									
2	CONNECTORS	5.2	7.2										
2	CONTACTS	7.1											
2	CONTINUE	9.1	8.1	2.1									
2	CONTINUOUS	12.1											
2	CONTROL	16.1	30.2	28.1									
2	DAMAGE	7.1	5.1	4.3	1.3	32.1	27.1	12.1	8.1				
2	DEFICIENCIES	1.1											
2	DEITS	5.1											
2	DESCRIBE	22.1											
2	DIAGRAM	23.1	19.1	15.2	13.2	4.1							
2	DIAGRAMS	12.1	11.1	8.1									
2	DISTANT	21.2	12.1										
2	DISTORTION	11.1	6.1										
2	DRIVER	4.2											
2	DS	4.1	3.2										
2	ELECTRICAL	51.3	30.2	28.2	23.1	17.2	15.2	8.2	4.2	3.1	2.1		
2	END	1.6	6.6	5.5	4.8	2.6	10.2	50.2	44.4	42.2	41.2	39.18	30.30
		27.6	24.4	23.6	22.6	21.2	19.2	18.2	13.6	14.2	13.1	12.15	11.7
		9.1C	6.18	7.3									
2	ENTERED	39.2											
2	EQUIPMENT	9.11	8.10	5.1	4.7	3.1	2.4	1.5	2.9.1	20.1.1	149.1	132.2	160.1
		44.4	40.1	39.23	30.48	29.1	27.1	24.4	23.4	21.2	17.1	16.2	14.1
		11.4	10.1										
2	EQUIVALENT	1.1	4.1	2.1	44.1	39.7	30.15	24.1	21.1	12.2	11.1	9.2	160.1
2	FAULTY	9.1											
2	FEED	15.1	25.1										
2	FILTER	19.2	8.1										
2	FINAL	39.6	4.1	249.1	209.1								
2	FLOW	1.1											
2	FORK	22.1	9.1	8.1	7.1	6.1							
2	FERR	1.18	12.3	11.1	9.5	8.4	6.2	4.2	3.1	2.2	100.1	44.1	43.1
		39.4	32.1	30.24	24.1	23.2	22.1	21.2	19.1	18.1	15.1	14.1	13.1
2	FRAYED	5.1											
2	FRICTION	6.3											
2	FUNCTIONS	8.1											
2	INACTIVE	4.1											
2	INCLUDING	30.2	12.2	11.1	9.3	39.2							
2	INPUT	9.1	5.2										
2	INSPECT	1.1	5.1	4.2	30.1	27.1	8.5						
2	INSTALL	35.1	7.1	1.1									
2	INSTALLATION	9.1	8.1	5.2	4.1	50.1	39.3	10.2					
2	INSTRUMENT	30.2											
2	ISKRE	1.1	23.1										
2	INTERNAL	7.1											

DATE 01022 1801 PAGE 6

2	LINE	102	27.1	25.1	15.1	12.1	10.1	5.1										
2	RAIN	30.2																
2	MAINTENANCE	4.2	2.1	21.4	9.2	7.1	3.1	44.1	39.18	30.32	24.1							
2	MAJON	6.2	5.1	4.1	2.1	23.5												
2	MAK	23.1	29.1	26.1	50.1	41.1	40.1	39.1	102.1									
2	MAXIMUM	30.1	9.1															
2	MECHANICAL	132.1	42.1	41.1	27.1	23.1	21.2	16.1	15.3	14.1	8.2	2.2						
2	MECHANISM	22.2	102.3	23.1														
2	MOBILE	44.1	39.2	30.2	11.1													
2	NONPRACTICAL	4.1	2.1	1.1	44.1	39.9	30.16	24.1	21.1	12.2	11.1	9.3						
2	OFF	27.1	10.1															
2	ON	20.1	19.1	6.1														
2	OLD	2.2																
2	OUTLET	4.2																
2	OUTPUT	7.2	6.1															
2	OVERHEAT	12.1																
2	PAGE	1.2	3.3	2.2	10.1	8.2	7.2	5.1	28.1	27.1	22.2	15.2	12.1	11.2				
2	PAGES	14.1																
2	PART	132.1	149.2	102.1	100.1	35.2	36.7	26.1	23.2	19.2	13.1	12.2	11.1	8.2				
2	PARIS	7.1	3.2	1.3														
2	PLUG	5.3	7.3	102.2	30.6	100.1	39.2	23.2	12.2	11.2								
2	POSITION	30.2	9.2	1.1														
2	POWER	4.1	1.1	28.1	12.1													
2	PRINT	1.1	13.1	9.1	11.1	10.4	8.3	4.5	6.1	5.3	30.3							
2	PRINTOUT	27.2																
2	PROBLEM	23.1																
2	PROPER	22.2	13.1	8.1	5.1													
2	PROTECTIVE	2.1	7.1															
2	RACK	5.1																
2	RANGEFINDER	9.1	8.1	16.1	12.2	30.1												
2	RANGEFINDERS	42.2	25.2															
2	RECEPTACLE	5.1	30.1															
2	RECAPTURE	21.2																
2	RECORD	23.1	1.1															
2	RECORDED	2.1																
2	RELAYS	20.1																
2	RELEASED	26.1																
2	REMOVED	1.1	6.1	2.1	132.1													
2	REPAIR	1.1	6.1	19.2	30.9	23.2	12.4	11.1	9.2	7.1	132.1	100.1						
2	REPLACE	102.1	30.1	8.1	7.1	4.2												
2	REPLACED	6.2	9.1															
2	REQUIRED	10.2	9.2	8.1	7.3	4.1	1.2	132.1	102.1	50.1	41.1	39.1	32.1	14.1				
2	REQUIREMENTS	21.1	16.1	30.2	22.1	13.1	12.1											
2	RIBBON	10.2																
2	RIBBON	30.2																
2	RING	27.1																
2	RPM	6.1	9.1	8.1	7.1	22.1	15.1											
2	SCHEMATIC	4.2	13.2	13.2	12.1													
2	SELECTALIZE	23.1	9.1	2.1	2.1													
2	SELECTED	10.1																

DATE 81023 1001 PAGE 7

[illegible]

DATE 81021 1001 PAGE 8

1	ADJUSTING	5.1	6.2	1.2	40.1	25.1	22.2	71.3	19.2										
2	ADJUSTMENT	7.1																	
2	ADJUSTMENT	1.1																	
2	ADJUSTMENT	12.1	102.1	0.1	0.1	1.1													
2	ADJUSTMENT	30.1																	
2	ADJUSTMENT	102.1	5.2																
2	ADJUSTMENT	4.1	0.1																
2	ADJUSTMENT	1.3	23.1	5.1	14.1	8.1	27.1												
2	ADJUSTMENT	8.1	12.1	9.1															
2	ADJUSTMENT	12.1	0.1																
2	ADJUSTMENT	9.1	8.1	7.1	6.1	22.1	15.1												
2	ADJUSTMENT	29.1	3.1	2.1															
2	ADJUSTMENT	9.1	30.1																
2	ADJUSTMENT	8.2																	
2	ADJUSTMENT	7.1	19.1	10.1															
2	ADJUSTMENT	8.2																	
2	ADJUSTMENT	1.1	66.1	13.1															
2	ADJUSTMENT	10.1																	
2	ADJUSTMENT	2.1	1.1	295.1	132.3	30.2	29.1	23.1											
2	ADJUSTMENT	102.1	8.1																
2	ADJUSTMENT	30.2	9.1	39.3															
2	ADJUSTMENT	5.3	4.1	2.1	1.1	100.1	44.1	39.9	30.15	24.1	21.1	12.2	11.1						
2	ADJUSTMENT	1.1																	
2	ADJUSTMENT	19.1	11.1	0.1															
2	ADJUSTMENT	8.1	12.1																
2	ADJUSTMENT	1.6	8.4	4.2	3.1	2.1	467.1	43.2	32.1	30.5	24.1	23.1	22.1	19.1					
2	ADJUSTMENT	18.1	15.1	14.1	12.1	9.1													
2	ADJUSTMENT	2.3	6.7	3.1	19.2	15.1	12.1	7.3											
2	ADJUSTMENT	22.1	8.1	6.2															
2	ADJUSTMENT	2.1	25.1	21.1	9.1	8.2													
2	ADJUSTMENT	26.1																	
2	ADJUSTMENT	30.1																	
2	ADJUSTMENT	1.2	39.1	7.2	5.2														
2	ADJUSTMENT	5.1																	
2	ADJUSTMENT	1.1																	
2	ADJUSTMENT	2.1	12.1	7.2															
2	ADJUSTMENT	14.1																	
2	ADJUSTMENT	15.1																	
2	ADJUSTMENT	7.1	0.1																
2	ADJUSTMENT	10.2																	
2	ADJUSTMENT	21.1	6.1	40.2	25.1														
2	ADJUSTMENT	42.2	22.1	17.1	16.1	14.2	13.2	12.2	9.1	8.4	7.6	6.7	6.1	5.1					
2	ADJUSTMENT	2.5																	
2	ADJUSTMENT	0.1																	
2	ADJUSTMENT	12.1																	
2	ADJUSTMENT	4.1																	
2	ADJUSTMENT	30.1																	
2	ADJUSTMENT	2.1	30.2	7.1															
2	ADJUSTMENT	9.1	10.1																
2	ADJUSTMENT	2.1																	

DATE 01023 1001 PAGE 9

[illegible]

DATE 01023 1001 PAGE 10

[illegible]

## DATE 01029 1801 PAGE 11

[illegible]

## DATE 01023 1001 PAGE 12

[illegible]

## DATE 01023 1001 PAGE 13

3	STIMULATING	22.1	19.6	20.4	9.7	8.1											
3	SIGNALS	21.7	17.4														
3	SILE	1.1	4.4	3.1	30.2	9.5											
3	SKILL	1.1															
3	SOCKET	1.1															
3	SOLDER	4.1	39.9														
3	SOLDERING	1.1	4.1	35.1	12.2	39.4	6.1	9.1	7.1	132.1							
3	SOP	1.1	4.3	2.3	21.3	12.6	11.3	9.9	103.1	44.3	39.23	39.41	24.3				
3	SOURCE	4.2	10.1	5.1	39.2												
3	SPECIAL	4.1	39.2	12.2	11.1	9.3	39.2										
3	SPECIFIED	6.1	1.1	39.3													
3	STAGES	8.1															
3	STANDARDS	2.2	1.2	4.2	11.2	9.6	24.2	21.2	12.4	100.2	44.2	39.18	30.30				
3	STARTING	1.1	4.1														
3	STATEMENT	6.1															
3	STEP	12.2	21.1														
3	STEPS	7.1	4.1	23.2	15.2	11.1	8.2										
3	STOP	28.1															
3	SUBASSEMBLIES	7.2															
3	SUBPARAGRAPHS	22.2															
3	SUITABLE	5.1															
3	SUBBANK	35.2															
3	SUPERVISOR	4.1	2.1	44.1	39.9	30.17	24.1	21.1	12.2	11.1	9.3						
3	SUPPLIES	11.1															
3	SUPPLY	13.3															
3	SUPPORT	9.3	2.1	51.1	39.18	30.26	21.1										
3	SUSPECTED	2.1	44.1	39.4	30.3	12.2	24.1	16.1	9.2	11.1							
3	SWITCHES	10.1	8.2	5.1													
3	SYMPTOMS	2.1	1.7	39.2	30.5	23.2	12.2	11.2	9.3	6.1							
3	SYSTEM	4.1	8.2	9.1	30.15	37.9											
3	SYSTEMS	30.1															
3	TAB	1.1	7.1	6.2	5.1	30.1											
3	TABLE	1.1															
3	TABLES	30.16															
3	TACTICAL	1.1	11.1	9.3	4.1	2.1	21.1	12.2	44.1	39.9	30.16	24.1					
3	THIN	30.1															
3	THROUGH	10.1	44.1	39.9	2.1	1.1	12.2	11.1	9.3	4.1	21.1	24.1	30.16				
3	TIME	1.11	24.2	26.14	27.1	12.3	13.6	17.6	23.8	22.2	21.3	20.1	11.7	9.3			
			8.10	7.3	6.5	2.7	4.8	3.1	9.6	8.2	97.2	33.1	22.8	31.1			
		45.2.1	295.1	201.1	180.1	175.1	150.2	149.1	153.3	114.1	132.2	124.1	33.1	40.1			
		39.5	38.9	35.1	44.1	43.2	32.1	30.32	29.5								
3	TIME	39.2															
3	TOOL	9.1	4.1	35.3	11.1												
3	TOOLS	1.1	4.1	2.1	12.4	11.1	9.5	21.1	24.1	23.2	100.1	44.1	39.9	30.14			
3	TOTAL	39.2															
3	TRANSMISSION	27.2															
3	TUNING	22.1	15.1	9.1	8.1												
3	TYPE	39.1	30.1														
3	TYPING	30.2															
3	UNIT	40.5	10.1														

DATE 01023 1001 PAGE 14

[illegible]

## MNS WORK LIST BY PAGE

DATE 81023 1801 PAGE 15

4	SITUATION	21.1	39.9	30.15	24.1	2.1	1.1	12.2	11.1	9.3	4.1	44.1	
4	UNDOER	1.1	9.3	4.1	2.1	44.1	24.1	39.9	30.16	21.1	15.1	12.2	11.1
4	UNITS	12.1	10.1										
4	UTILIZING	6.1											
4	W/C	12.2	39.12	30.14	21.1	9.2	4.3						
4	W/RK	9.1											
5	FGC-159	39.1											
5	MOTOR	20.2	28.2	27.1	22.1	15.1	10.1	9.1	8.2	7.1	6.1		
5	NHC	44.1	39.9	30.16	24.1	21.1	2.1	1.1	12.2	11.1	9.3	4.1	
5	ON	5.1	4.2	3.1	1.3	100.1	40.2	30.3	28.1	27.1	23.2	21.3	19.1 17.1
5	ON-LEE	9.1	7.1	6.1									
5	RANGE	19.2											
5	READY	12.2											
		44.1	30.1	39.7	12.2	24.1	21.1	2.1	11.1	9.3	4.1		

**HEADQUARTERS**

**DATA CONTROL NUMBER**

**JOB NO / PROJECT NO**

**UNITED STATES ARMY TRAINING AND DOCTRINE COMMAND**

**FORT MONROE, VIRGINIA 23651**



**PREPARED BY: OPERATIONS DIV, DPFO**

**FORM**  
**ATOP** Oct 66 109-1 Feb 66 edition may be used until exhausted.

**COPY \_\_\_\_ OF \_\_\_\_ COPIES**

END

DATE  
FILMED

8 82

DTIC